



深圳市谷林动力科技有限公司

SHENZHEN GULIN POWER TECHNOLOGY CO.,LTD

谷林动力(东莞)科技有限公司

GULIN POWER (DONGGUAN) TECHNOLOGY CO., LTD

电话/Tel: +86 755 2101 3879

传真/Fax: +86 755 2101 3879

邮箱/E-mail: Sales@igulen.com

官网/Web: www.igulen.com

深圳办公室地址: 广东省深圳市龙华区龙华街道人民路环智中心B座1302室

Shenzhen office address: Room 1302, Block B, Huanzhi Center, Renmin Road,
Longhua Street, Longhua New District, Shenzhen ,China

东莞工厂地址: 广东省东莞市大朗镇松木山祥荣路23号

Dongguan factory address: No. 23, Xiangrong Road, Songmu Mountain,
Dalang Town, Dongguan, China



CAR AIR PUMP

WIRELESS VACUUM CLEANER


HIGH PRESSURE CAR WASHER

Shenzhen Gulin Power Technology Co., Ltd was founded in 2014, which is a technological innovation-based enterprise combining the R&D, manufacture and marketing of automotive electronic series products. We have about 100 employees and cover an area of 3000 square meters. All products are with appearance patents & some with technology patents and have been certified by CE, RoHS and FCC. Our products are exported to America, Japan, Australia, Sweden, UK and more than 40 countries.

We have attained the ISO 9001:2015 quality management system certification and ISO 14001:2015 environmental management system certification. Also, we have powerful technology research strength and a comprehensive quality management system, and have already formed a complete product chain for OEMs and can provide more professional ODM project management.

- 2014 Establish Gulin company
- 2015 Attend Frankfurt show(Shanghai)
- 2016 Establish Taiwan R&D center and attend Frankfurt show(Germany)
- 2017 Attend SEMA show(Las Vegas)
- 2018 R&D car vacuum cleaner and applied for all related patents and certifications
- 2019 Mass production of car vacuum cleaner
- 2020 R&D and mass production of car air pump
- 2021 Awarded "National High-tech Enterprise"
- 2022 R&D and mass production of high pressure car washer
Awarded "Shenzhen Innovative SMEs"
- 2023 Awarded "Shenzhen Specialized and Sophisticated SMEs"


We insist on taking the customer demand as the center and technological innovation as the root, keep providing competitive and valuable products.



Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V02-2	V02H-2
Suction/Working time(High level):	5000Pa / 18mins	14000Pa / 15mins
Suction/Working time(Low level):	3500Pa / 28mins	9000Pa / 30mins
Battery:	2000mAhx2/14.8Wh	2500mAhx2/18.5Wh
Noise:	≤85dB	≤85dB
Input:	5V---2A	5V---2A
Dust bin:	130ml	130ml
Standard color:	Black & Space Grey, White & Silver (Acceptable customized colors)	

CE FC RoHS

Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V03-2	V03H-2
Suction/Working time(High level):	5000Pa / 18mins	13000Pa / 19mins
Suction/Working time(Low level):	3500Pa / 28mins	6500Pa / 32mins
Battery:	2000mAhx2/14.8Wh	2500mAhx2/18.5Wh
Noise:	≤85dB	≤85dB
Input:	5V---2A	5V---2A
Dust bin:	130ml	130ml
Standard color:	Black , White & Silver (Acceptable customized colors)	

CE FC RoHS

Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V05-2	V05H-2
Suction/Working time(High level):	5800Pa / 15mins	13000Pa / 18mins
Suction/Working time(Low level):	3500Pa / 25mins	7000Pa / 30mins
Battery:	2500mAhx2/18.5Wh	2500mAhx2/18.5Wh
Noise:	≤80dB	≤75dB
Input:	5V --- 2A	5V --- 2A
Dust bin:	120ml	120ml
Standard color:	Black & Space Grey, White & Silver (Acceptable customized colors)	

CE FC RoHS

Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V07-2	V07-3	V07H-2
Suction/Working time(High level):	6000Pa / 16mins	6500Pa / 28mins	12500Pa / 13mins
Suction/Working time(Low level):	4000Pa / 25mins	3500Pa / 38mins	7500Pa / 32mins
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh	2500mAhx2/18.5Wh
Noise:	≤85dB	≤85dB	≤85dB
Input:	5V---2A	5V---2A	5V---2A
Dust bin:	100ml	100ml	100ml
Standard color:	Black & Red, White & Silver (Acceptable customized colors)		



Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V08-3	V08H-2	V08H-3
Suction/Working time(High level):	5800Pa / 30mins	12000Pa / 14mins	13000Pa / 13mins
Suction/Working time(Low level):	3000Pa / 45mins	6000Pa / 26mins	7000Pa / 45mins
Battery:	2500mAhx3/27.75Wh	2500mAhx2/18.5Wh	2500mAhx3/22.2Wh
Noise:	≤85dB	≤85dB	≤85dB
Input:	5V --- 2A	5V --- 2A	5V --- 2A
Dust bin:	100ml	100ml	100ml
Standard color:	Black & Red 、White & Silver (Acceptable customized colors)		

CE FC RoHS

Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V09-2	V09H-2
Suction/Working time(High level):	5800Pa / 15mins	14000Pa / 18mins
Suction/Working time(Low level):	3500Pa / 25mins	7300Pa / 30mins
Battery:	2500mAhx2/18.5Wh	2500mAhx2/18.5Wh
Noise:	≤85dB	≤85dB
Input:	5V---2A	5V---2A
Dust bin:	120ml	120ml
Standard color:	Black & Silver 、 Black & Space Grey (Acceptable customized colors)	



Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V10-2
Suction/Working time(High level):	5300Pa / 14mins
Suction/Working time(Low level):	3500Pa / 29mins
Battery:	2500mAhx2/18.5Wh
Noise:	≤85dB
Input:	5V ---2A
Dust bin:	120ml
Standard color:	Black & Space Grey(Acceptable customized colors)



Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V12-2	V12H-2	V12H-3
Suction/Working time(High level):	6200Pa / 21mins	13000Pa / 19mins	18000Pa / 29mins
Suction/Working time(Low level):	3100Pa / 42mins	6000Pa / 32mins	11000Pa / 51mins
Battery:	2500mAhx2/18.5Wh	2500mAhx3/18.5Wh	2500mAhx3/27.75Wh
Noise:	≤85dB	≤85dB	≤85dB
Input:	5V---2A	5V---2A	5V---2A
Dust bin:	150ml	150ml	150ml
Standard color:	White & Blue , White & Grey (Acceptable customized colors)		



Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V15H-2	V15H-3
Suction/Working time(High level):	12000Pa / 15mins	17000Pa / 16mins
Suction/Working time(Low level):	6500Pa / 28mins	9000Pa / 60mins
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh
Noise:	≤85dB	≤85dB
Input:	5V---2A	5V---2A
Dust bin:	130ml	130ml
Standard color:	Black & Space Grey (Acceptable customized colors)	

CE FC RoHS

Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V16H-2	V16H-3
Suction/Working time(High level):	11500Pa / 12mins	17000Pa / 16mins
Suction/Working time(Low level):	6400Pa / 25mins	9000Pa / 60mins
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh
Noise:	≤85dB	≤85dB
Input:	5V--- 2A	5V--- 2A
Dust bin:	130ml	130ml
Standard color:	Black & Space Grey (Acceptable customized colors)	



Wireless Vacuum Cleaner



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	V18H-2	V18H-3	V18H-3DC
Suction/Working time(Pet mode):	9000Pa / 30mins	9500Pa / 40mins	9500Pa / 40mins
Suction/Working time(Car mode):	12000Pa / 20mins	13500Pa / 30mins	13500Pa / 30mins
Suction/Working time(Home mode):	15000Pa / 12mins	17000Pa / 20mins	17000Pa / 20mins
Input:	5V---2A	5V---2A	5V---2A
DC Input:	----	----	12V---10A
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh	2500mAhx3/27.75Wh
Noise:	≤85dB	≤85dB	≤85dB
Dust bin:	120ml	120ml	120ml
Standard color:	Black & Space Grey (Acceptable customized colors)		



12V Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A3-DC
DC input:	12V---10A
DC cable length:	3M
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black & Grey (Acceptable customized colors)

CE FC RoHS

12V Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A5-DC
DC input:	12V---10A
DC cable length:	3M
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black (Acceptable customized colors)

CE FC RoHS

Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A6-2
Battery:	2500mAhx2/18.5Wh
Type-C input:	5V---2A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black & Space Grey (Acceptable customized colors)

CE FC RoHS

Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A7-2
Battery:	2500mAhx2/18.5Wh
Type-C input:	5V---2A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black (Acceptable customized colors)



Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A8-2
Battery:	2500mAhx2/18.5Wh
Type-C input:	5V---2A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black (Acceptable customized colors)



Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A9-2
Battery:	2500mAhx2/18.5Wh
Type-C input:	5V---2A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black (Acceptable customized colors)



Portable Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A10-2	A10-3DC
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh
Type-C input:	5V --- 2A	5V --- 2A
USB output:	5V --- 2.1A	5V --- 2.1A
DC input:	----	12V --- 10A
DC cable length:	----	3M
Noise:	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C
Standard color:	Black (Acceptable customized colors)	

CE FC RoHS

Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A12-2	A12-3
Battery:	2500mAhx2/18.5Wh	2500mAhx2/22.2Wh
Type-C input:	5V---2A	5V---2A
USB output:	5V---2.1A	5V---2.1A
Noise:	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C
Standard color:	Black (Acceptable customized colors)	

CE FC RoHS

Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A13-3
Battery:	2500mAhx3/27.75Wh
Type-C input:	5V---2A
USB output:	5V---2.1A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black (Acceptable customized colors)



12V Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A15-DC
DC input:	12V --- 10A
DC cable length:	3M
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black & Grey (Acceptable customized colors)



Portable Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A16-2	A16-3	A16-3DC
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh	2500mAhx3/27.75Wh
Type-C input:	5V---2A	5V---2A	5V---2A
USB output:	5V---2.1A	5V---2.1A	5V---2.1A
DC input:	----	----	12V---10A
DC cable length:	----	----	3M
Noise:	≤85dB	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C	0°C-35°C
Standard color:	Black & Grey (Acceptable customized colors)		



Portable Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A18-2	A18-3	A18-3DC
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh	2500mAhx3/27.75Wh
Type-C input:	5V---2A	5V---2A	5V---2A
USB output:	5V---2.1A	5V---2.1A	5V---2.1A
DC input:	----	----	12V---10A
DC cable length:	----	----	3M
Noise:	≤85dB	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C	0°C-35°C
Standard color:	Black (Acceptable customized colors)		

CE FC RoHS

Dual Cylinder Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A19-DC	A19-3DC	A19-4
Battery:	----	2500mAhx3/27.75Wh	2500mAhx4/37.0Wh
Type-C input:	----	5V --- 2A	5V --- 2A
USB output:	----	5V --- 2.1A	5V --- 2.1A
DC input:	12V --- 10A	12V --- 10A	----
DC cable length:	3M	3M	----
Noise:	≤85dB	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C	0°C-35°C
Standard color:	Black & Space Grey (Acceptable customized colors)		

CE FC RoHS

Portable Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A21-2	A21-3	A21-3DC
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh	2500mAhx3/27.75Wh
Type-C input:	5V---2A,9V---2A	5V---2A,9V---2A	5V ---2A, 9V--- 2A
USB output:	5V---2.1A	5V---2.1A	5V ---2.1A
DC input:	----	----	12V ---10A
DC cable length:	----	----	3M
Noise:	≤85dB	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C	0°C-35°C
Standard color:	Black (Acceptable customized colors)		

CE FC RoHS

Portable Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A22-2	A22-3	A22-3DC
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh	2500mAhx3/27.75Wh
Type-C input:	5V---2A	5V---2A	5V---2A
USB output:	5V---2.1A	5V---2.1A	5V---2.1A
DC input:	----	----	12V---10A
DC cable length:	----	----	3M
Noise:	≤85dB	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C	0°C-35°C
Standard color:	Black & Silver ((Acceptable customized colors)		



Portable Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A23-3DC
Battery:	2500mAhx3/27.75Wh
Type-C input:	5V---2A
USB output:	5V---2.1A
DC input:	12V---10A
DC cable length:	3M
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black (Acceptable customized colors)



Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A25-2	A25-3
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh
Type-C input:	5V---2A	5V---2A
Noise:	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C
Standard color:	Black (Acceptable customized colors)	

CE FC RoHS

Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	A26-2	A26-3
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh
Type-C input:	5V --- 2A	5V --- 2A
Noise:	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C
Standard color:	Black (Acceptable customized colors)	

CE FC RoHS

Wireless Car Air Pump



SIZE & ACCESSORIES



PRODUCT PARAMETERS

Model:	PT15-2	PT15-3
Battery:	2500mAhx2/18.5Wh	2500mAhx3/27.75Wh
Type-C input:	5V---2A	5V---2A
Noise:	≤85dB	≤85dB
Working temperature:	0°C-35°C	0°C-35°C
Standard color:	Black & Red (Acceptable customized colors)	




2 IN 1

Air Compressor+Jump Starter



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	AS05
Battery:	2600mAhx4/38.48Wh
Type-C input:	5V --- 2A, 9V --- 2A
USB output:	5V --- 2.1A
Starting current:	400A
Peak current:	1000A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black & Silver (Acceptable customized colors)



2 IN 1 Air Compressor+Jump Starter



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	AS09
Battery:	2600mAhx4/38.48Wh
Type-C input:	5V --- 2A, 9V --- 2A
USB output:	5V --- 2.1A
Starting current:	400A
Peak current:	1000A
Noise:	≤85dB
Working temperature:	0°C-35°C
Standard color:	Black & Space Grey (Acceptable customized colors)

CE FC RoHS

Portable Air Duster



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model:	D09-2	D09H-2
Battery:	2500mAhx2/18.5Wh	2500mAhx2/18.5Wh
Type-C input:	5V --- 2A	5V --- 2A
Working level:	1-10	1 -10 & violent mode
Noise:	≤85dB	≤85dB
Standard color:	Black & Space Grey (Acceptable customized colors)	

CE FC RoHS

2 in 1 High Pressure Car Washer



SIZE & ACCESSORIES



PRODUCT PARAMETERS


Model: H7-3DC	
Type-C input: 5V --- 2A, 9V --- 2A	DC input: 12V --- 10A
Peak pressure: 1.7Mpa	Working time: 30mins
Battery: 4000mAhx3/43.2Wh	Length of water pipe: 5M
Spraying way: high-pressure type & normal type & 25° fan type & 40° fan type & watering type	
Standard color: Black & Orange (Acceptable customized colors)	



Portable High Pressure Car Washer



SIZE & ACCESSORIES



PRODUCT PARAMETERS

Model: H9-3	
Type-C input: 5V---2A	
Peak pressure: 1.7Mpa	Working time: 25mins
Battery: 5000mAhx3/55.5Wh	Length of water pipe: 5M
Spraying way: normal type & 15° fan type & 25° fan type & 40° fan type & spray type.	
Standard color: Black & Orange (Acceptable customized colors)	

CE FC RoHS